

BOLZEN- SCHNEIDER

BOLT CUTTER

11



padre[®]
Germany

BUCO[®]
Germany

Standardbolzenschneider Prima

Standard boltcutter prima
Coupe boulons prima
Corta Varillas standard prima
Стандартный болторез Prima

Material: Chrom-
Molybdän Stahl

Ersatzkopf

Spare head
Tête a remplacer
Cabeza repuesto
Запасная головка



No.	N/mm ² kp./mm ² HRC	mm	Schneidleistung/cutting capacity				Spezial- draht/ special steel wire	⚖️	📦
			735 75 19	1225 125 36	1570 160 48				
28310	Prima	320	6	5	-	-	850	1	
		460	7	6	-	-	1400	1	
		610	9	8	-	-	2500	1	
		760	11	9	-	-	4300	1	
		910	13	10	-	-	6300	1	
		1060	15	11	-	-	8600	1	

No.	N/mm ² kp./mm ² HRC	mm	⚖️	📦
28311	Prima	320	290	1
		460	590	1
		610	820	1
		760	1490	1
		910	2130	1
		1060	2840	1


Standardbolzenschneider Duro

Standard boltcutter Duro
Coupe boulons Duro
Corta Varillas standard Duro
Стандартный болторез Duro

Material: Chrom-
Molybdän Stahl

Ersatzkopf

Spare head
Tête a remplacer
Cabeza repuesto
Запасная головка



No.	N/mm ² kp./mm ² HRC	mm	Schneidleistung/cutting capacity				Spezial- draht/ special steel wire	⚖️	📦
			735 75 19	1225 125 36	1570 160 48				
28313	Duro	320	6	5	4	-	850	1	
		460	7	6	5,5	-	1400	1	
		610	9	8	7	-	2500	1	
		760	11	9	8	-	4300	1	
		910	13	10	9	-	6300	1	
		1060	15	11	10	-	8600	1	

No.	N/mm ² kp./mm ² HRC	mm	⚖️	📦
28314	Duro	320	290	1
		460	590	1
		610	820	1
		760	1490	1
		910	2130	1
		1060	2840	1

Standardbolzenschneider Extra

Standard boltcutter Extra
Coupe boulons Extra
Corta Varillas standard Extra
Стандартный болторез Extra

Material: Chrom-
Molybdän Stahl
Schneiden induktiv
gehärtet

Ersatzkopf

Spare head
Tête a remplacer
Cabeza repuesto
Запасная
головка



No.	N/mm ² kp./mm ² HRC	mm	Schneidleistung/cutting capacity				⚖️	📦
			735 75 19	1225 125 36	1570 160 48	Spezial- draht/ special steel wire		
28316	Extra	320	6	5	4	3	850	1
		460	7	6	5,5	5	1400	1
		610	9	8	7	6	2500	1
		760	11	9	8	7	4300	1
		910	13	10	9	8	6300	1
		1060	15	11	10	9	8600	1

No.	N/mm ² kp./mm ² HRC	mm	⚖️	📦
28317	Extra	320	290	1
		460	590	1
		610	820	1
		760	1490	1
		910	2130	1
		1060	2840	1

Standardbolzenschneider

Boltcutter
Coupe boulons
Corta Varillas
Болторез

Material: Chrom-
Molybdän Stahl
Schneiden induktiv
gehärtet

Ersatzkopf

Spare head
Tête a remplacer
Cabeza repuesto
Запасная головка



No.	N/mm ² kp./mm ² HRC	mm	Schneidleistung/cutting capacity				⚖️	📦
			735 75 19	1225 125 36	1570 160 48	Spezial- draht/ special steel wire		
28130		300	-	5	-	-	700	1
		360	-	7	-	-	1040	1
		460	-	8	-	-	1950	1
		610	-	10	-	-	2400	1
		760	-	13	-	-	4000	1
		910	-	15	-	-	6000	1
			1060	-	16	-	-	8600

No.	N/mm ² kp./mm ² HRC	mm	⚖️	📦
28131		300	250	1
		360	450	1
		460	550	1
		610	800	1
		760	1200	1
		910	2000	1
			1060	2350

Kraftschneider

Heavy duty cutting
Pincas coupantes de cote
Alicate corte, extra fuerte
Болторез



Ersatzkopf

Spare head
Tête a remplacer
Cabeza repuesto
Запасная головка



No.	N/mm ² kp./mm ² HRC	mm	Schneidleistung/cutting capacity				Scales icon	Box icon
			735 75 19	1225 125 36	1570 160 48	Spezial- draht/ special steel wire		
28322	Super	1060	16	12	11	10	8600	1

No.	N/mm ² kp./mm ² HRC	mm	Scales icon	Box icon
28323	Super	1060	2880	1

Doppelschneider

Reversible Jaws
Pince a double
coupe torcifon
Болторез реверсивный



Ersatzkopf

Spare head
Tête a remplacer
Cabeza repuesto
Запасная головка



No.	N/mm ² kp./mm ² HRC	mm	Schneidleistung/cutting capacity				Scales icon	Box icon
			735 75 19	1225 125 36	1570 160 48	Spezial- draht/ special steel wire		
28325	Duro	610	9	8	7	-	2600	1
		760	11	9	8	-	4300	1
		910	13	10	9	-	6300	1

No.	N/mm ² kp./mm ² HRC	mm	Scales icon	Box icon
28326	Duro	610	660	1
		760	1080	1
		910	2450	1

Messerpaar

Pair of Jaws
Pair du couteau
Cabeza repuesto
Пара губок




No.	N/mm ² kp./mm ² HRC	mm	Scales icon	Box icon
28327	Duro	610	590	1
		760	950	1
		910	2100	1

WG 11

Baustahlmattenschneider

Structural Steel Cutter
Coupe boulons
Corta varillas
Резак конструкционной стали



Ersatzkopf

Spare head
Tête a remplacer
Cabeza repuesto
Запасная головка



No.	N/mm ² kp./mm ² HRC	mm	Schneidleistung/cutting capacity				Scales icon	Box icon
			735 75 19	1225 125 36	1570 160 48	Spezial- draht/ special steel wire		
28333	Duro							
	Einzelstäbe	800	9	8	7	-	2700	1
	Doppelstäbe	800	7	6	5	-	2700	1
	single rods	1000	11	9	8	-	4700	1
	double rods	1000	7	6	5	-	4700	1

No.	N/mm ² kp./mm ² HRC	mm	Scales icon	Box icon
	Einzelstäbe	800	620	1
	Doppelstäbe	800	620	1
	single rods	1000	980	1
	double rods	1000	980	1

Drahtschneider, TL 5110-007, Desmopan isoliert, mit Fanghaken

Fireman's Cutter, TL 5110-007, Desmopan insulated, with hook
Cisailles à fil de fer avec Desmopan
Tijera de hilo con asa de acero con Desmopan
Резак пожарного, TL 5110-007, Desmopan изолированный, с крючком



Ersatzkopf

Spare head
Tête a remplacer
Cabeza repuesto
Запасная головка



No.	N/mm ² kp./mm ² HRC	mm	Schneidleistung/cutting capacity				Scales icon	Box icon
			735 75 19	1225 125 36	1570 160 48	Spezial- draht/ special steel wire		
28307	Duro	675	9	8	7	-	3100	1

No.	N/mm ² kp./mm ² HRC	mm	Scales icon	Box icon

Drahtschneider, TL 5110-006, nicht isoliert, ohne Fanghaken

Fireman's Cutter, TL 5110-006, not insulated, without hook
Cisailles à fil de fer avec Desmopan
Tijera de hilo con asa de acero con Desmopan
Пожарный резак, ТЛ 5110-006, не изолирован, без крюка

No.	N/mm ² kp./mm ² HRC	mm	Schneidleistung/cutting capacity				Scales icon	Box icon
			735 75 19	1225 125 36	1570 160 48	Spezial- draht/ special steel wire		
28306	Duro	615	9	8	7	-	2600	1

Bindezange (Drahteinziehzange), gerade

Pulling Tong, straight

Pince à lier, droit

pinzas de unión, justo

Резак с прямыми рукоятками



No.	mm	Zoll		
24106	230	9	580	6
	260	10	650	6
	300	12	760	6

Bindezange (Drahteinziehzange), 1 gebogener Schenkel

Pince à lier, courbée

pinzas de unión, doblado

Резак с изогнутой рукояткой



No.	mm	Zoll		
24116	230	9	580	6
	260	10	650	6
	300	12	760	6

Abgratzange

Trimming gripper

Pince à Ebarber

Pinza

Плоскогубцы для снятия заусенцев при работе со сваркой



No.	Größe	für Draht Ø mm	mm		
24501	1	2-6	240	600	1
	2	4-8	240	600	1

Abgratbacke

Flange for gripper

Mâchoire

Mordaza

Пара насадок



No.	Größe	für Draht Ø mm	mm		
24511	1	2-6	240	5	10
	2	4-8	240	5	10

